



Features


- Niño Roman motorized shades come equipped with a USB-C rechargeable lithium battery.
- Allows blackout or partial light filtering to control natural light and temperature, helping reduce energy use.
- Hardware is available in five stylish color options: Black, White, Warm White, Char Brown and Clear Anodized.
- Tightly woven for durability and structure, with subtle tonal variations that add visual texture.
- The shades are designed to be durable and low - maintenance. The fabric is resistant to stains and wrinkles, and the motor components are built to last, providing you with years of reliable service.
- Group control functionality via RF remote or smart home platforms makes it easy to operate multiple shades simultaneously.
- Adjustable end limits with the included remote control.
- Lithium battery powered shades up to 2 years between charges*, feature soft start and stop technology for smooth and quiet operation.

*Battery Life dependent on Motor type and battery size

Colors

Available in 5 colors:

- White
- Char Brown
- Black
- Clear Anodized
- Warm White



Roman Box Specifications

For illustration purposes only; not a system specification drawing

Shade Types

- Box

Height / Width

Min. width: 16" Min. height: 22"
Max. width: 98" Max. height: 110"

Methods of Control

Integration and control

- Zigbee
- PoE
- RF Remote Control
- SI Ecosystem
- Native Control4
- SmartThings - App Control
- Bond Bridge Pro

Technical Specifications


Compatible power sources



Rechargeable




12v DC



PoE

Brackets



Box brackets



Flexible Configuration

Create scenes, groups, and set times via SmartThings or integrate with 3rd party controllers using the SI Ecosystem.

Environment

Operating temperature range is normal ambient (32 to 110 degrees), and humidity levels up to 90%.

Roman Box Measurements



Dimension Callout	Measurements
A	3¼" (82.5mm)
B	3⅛" (78.4mm)
C	2¾" (69mm)
D	3" (76mm)
E	6.5"

*Minimum shade width is 16" and maximum is 110"

Roman Box Bracket

